



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/774,561	02/09/2004	Vincent Park	Flarion-70APP3 (95)	1112	
26479 7:	590 12/15/2006		EXAMINER		
STRAUB & POKOTYLO			DANIEL JR, WILLIE J		
620 TINTON AVENUE BLDG. B, 2ND FLOOR			ART UNIT	PAPER NUMBER	
TINTON FALLS, NJ 07724			2617		
			DATE MAILED: 12/15/2006	S	

Please find below and/or attached an Office communication concerning this application or proceeding.

		A		A 11 44 - 1				
Office Action Summary		Applicati	Application No. Applicant(s)					
		10/774,5	61	PARK ET AL.				
		Examine	r	Art Unit				
		Willie J. D	Daniel, Jr.	2617				
Period fo	The MAILING DATE of this commun or Reply	nication appears on th	e cover sheet w	ith the correspondence a	ddress			
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE Masions of time may be available under the provision SIX (6) MONTHS from the mailing date of this comported for reply is specified above, the maximum set to reply within the set or extended period for reply reply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b).	MAILING DATE OF TI s of 37 CFR 1.136(a). In no ex munication. tatutory period will apply and w y will, by statute, cause the app	HIS COMMUNION PROPERTY OF THE PROPERTY OF T	CATION. reply be timely filed ITHS from the mailing date of this of BANDONED (35 U.S.C. § 133).				
Status			-					
1)	Responsive to communication(s) fil	ed on 13 October 200	26					
2a)□	•	2b)⊠ This action is r						
,								
٥,۵	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
D: '''	·	,						
•	on of Claims							
•	I)⊠ Claim(s) <u>1-19 and 27-34</u> is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.							
,	5) Claim(s) is/are allowed.							
6)⊠	6) Claim(s) <u>1-19 and 27-34</u> is/are rejected.							
7.)								
8)[Claim(s) are subject to restri	ction and/or election i	requirement.					
Applicat	on Papers							
9)[The specification is objected to by the	ne Examiner.			•			
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.								
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11)	The oath or declaration is objected to							
, —	ınder 35 U.S.C. § 119							
•	Acknowledgment is made of a claim	y for foreign priority ur	nder 35 I I S C /	\$ 119(a) ₋ (d) or (f)				
a)	Acknowledgment is made of a claim All b) Some * c) None of: 1. Certified copies of the priority 2. Certified copies of the priority 3. Copies of the certified copies application from the Internation See the attached detailed Office actions	y documents have been documents have been to find the priority documental Bureau (PCT Ru	en received. en received in A ents have been lle 17.2(a)).	Application No I received in this Nationa	I Stage			
2)	et(s) se of References Cited (PTO-892) se of Draftsperson's Patent Drawing Review (mation Disclosure Statement(s) (PTO/SB/08) or No(s)/Mail Date	· · · · · · · · · · · · · · · · · · ·	Paper No(Summary (PTO-413) s)/Mail Date Informal Patent Application 				

DETAILED ACTION

This action is in response to applicant's amendment filed on 13 October 2006.
 Claims 1-19 and 27-34 are now pending in the present application and claims 20-26 and claims 35-45 (i.e., non-elected) are canceled. This office action is made Non-Final.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 13 October 2006 has been entered.

Election/Restrictions

3. Applicant's election without traverse of claims 1-19 and 27-34 in the reply filed on 13 October 2006 is acknowledged.

Art Unit: 2617

Claim Objections

- 4. Claims 44-45 are objected to because of the following informalities:
 - a. Claims 44-45 have not been listed as canceled in the claim listing on pg. 7. The
 Examiner interprets claims 44-45 as "...canceled..." in which the applicant indicated on pg. 8, 4th paragraph.

Appropriate correction is required.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3, 5-34 are rejected under 35 U.S.C. 102(b) as being anticipated by Sanmugam (US 5,533,094).

Regarding **claim 1**, Sanmugam discloses a communications (see col. 4, lines 56-64; Figs. 1, 9), the method comprising:

operating an access node (e.g., BS 256; MSC 254) to receive a data message (e.g., page requests) directed to a mobile station (M1) which reads on the claimed "end node" (see col. 13, lines 1-32; col. 7, lines 8-15; col. 8, line 1-9; col. 9, line 2; Figs. 9, 8A-B), where page requests are based on paging information such as class of service, paging parameters, paging field, paging characteristics, and paging extent; and

Page 3

operating the access node (e.g., 256; 254) to determine from said received paging requirement using packet classification based on a header field included in said data message (see col. 13, lines 1-32; col. 7, lines 8-15; col. 8, line 1-9; col. 9, line 2; Figs. 9, 8A-B), where page requests are based on paging information such as class of service, paging parameters, paging field, paging characteristics, and paging extent in which a header field would be inherent due to paging information of the paging requests as evidenced by the fact that one of ordinary skill in the art would clearly recognize.

Regarding claim 2, Sanmugam discloses the method of claim 1,

wherein said paging requirement is determined as a function of at least one of a quality of service indicator, a type indicator, a source indicator, and a destination indicator (see col. 13, lines 1-32; col. 7, lines 8-15; col. 8, line 1-9; col. 9, line 2; Figs. 9, 8A-B), where page requests are based on paging information such as class of service, paging parameters, paging field, paging characteristics, and paging extent; and

wherein said access node (256) is a base station (256), further comprising:

operating said first node (e.g., MSC 254) to allocate a paging transmission resource for transmitting a page as a function of the determined paging requirement (see col. 13, lines 1-32; col. 7, lines 8-15; col. 8, line 1-9; col. 10, lines 53-56; Figs. 9, 8A-B)

at least some of said plurality of paging requests having different determined paging requirements resulting in different allocation of access node resources (see col. 8, lines 1-11,30-34; col. 7, lines 8-15; col. 10, lines 53-56; Figs. 9, 2-3), where the system allocates paging capacity.

Art Unit: 2617

Page 5

Regarding **claim 3**, Sanmugam discloses the method of claim 2, further comprising: operating said access node (256) to transmit a page over a wireless communications link (channel) using the allocated paging transmission resource (see col. 13, lines 1-32; col. 7, lines 8-15; col. 8, line 1-9; col. 10, lines 53-56; Figs. 9, 8A-B).

Regarding **claim 5**, Sanmugam discloses the he method of claim 2, further comprising:

operating said access node (e.g., 254, 256) to communicate a paging signal to a second node (e.g., base station 256), indicating allocation of a paging transmission resource for use in transmitting a page corresponding to said received data message (see col. 13, lines 14-27; col. 8, line 1-9; col. 2, lines 51-59; col. 10, lines 53-56; Figs. 9, 8B "ref. 206"), where the paging of the mobile station can be transmitted between exchanges as well as expanded to include a larger area which encompasses transmitting a page between nodes such as multiple BS (256) and MSC (254) (see col. 6, lines 28-43,52-62).

Regarding claim 6, Sanmugam discloses the method of claim 1, further comprising: operating said access node (256) to communicate said determined paging requirement to a second node (e.g., 256) in a paging request message (see col. 13, lines 14-27; Figs. 9, 8A-B), where the paging of the mobile station can be transmitted between exchanges as well as expanded to include a larger area which encompasses transmitting a page between nodes such as multiple BS (256) and MSC (254) (see col. 6, lines 28-43,52-62).

Regarding claim 7, Sanmugam discloses the method of claim 6, wherein said page request message includes at least a portion of said received paging information (see col. 11,

lines 47-55; col. 8, lines 24-25; col. 8, line 45 - col. 9, line 4; col. 10, lines 31-56; Figs. 3-6, 8A "ref. 192", 8B).

Regarding **claim 8**, Sanmugam discloses the method of claim 7, wherein said determined paging requirement, indicated in said paging request message, is that said portion be included in a page (see col. 11, lines 47-55; col. 8, lines 24-25; col. 8, line 45 - col. 9, line 4; col. 10, lines 31-56; Figs. 3-6, 8A-B).

Regarding **claim 9**, Sanmugam discloses the method of claim 6, wherein said determined paging requirement, indicated in said paging request message, is that a page be acknowledged (e.g., page response) (see col. 13, lines 43-48; col. 9, line 2; col. 10, lines 8-11; col. 6, lines 28-34; col. 11, lines 10-30; Fig. 10A "ref. 310").

Regarding **claim 10**, Sanmugam discloses the method of claim 6, wherein said determined paging requirement, indicated in said paging request message, is a quality of service (e.g., class of service) (see col. 11, lines 47-55; col. 8, lines 24-25; col. 8, line 45 - col. 9, line 4; col. 10, lines 31-56; col. 7, lines 8-15; Figs. 3-6, 8A-B).

Regarding **claim 11**, Sanmugam discloses the method of claim 10, wherein said quality of service includes a page transmission timing constraint (e.g., priority) (see col. 12, lines 12-18,31-40; Fig. 8B "ref. 212").

Regarding **claim 12**, Sanmugam discloses the method of claim 10, wherein said quality of service is one of a plurality of levels (see col. 7, lines 8-21; col. 8, lines 10-25,45-64; col. 9, lines 59-62,8-18).

Regarding claim 13, Sanmugam discloses the method of claim 10, wherein said quality of service requires that a page be transmitted multiple times (see col. 9, lines 41-49;

col. 9, line 65 - col. 10, line 3; Figs. 5-6, 7 "ref. 160, 164", 8B "ref. 218"), where the multiple page attempts are based on the page characteristics such as the paging extent.

Regarding **claim 14**, Sanmugam discloses the method of claim 10, wherein said quality of service requires retransmission of a page at least once in the absence of an acknowledgment (see col. 10, lines 8-11; col. 6, lines 28-34; col. 11, lines 10-30; Figs. 5, 7, 8B).

Regarding **claim 15**, Sanmugam discloses the method of claim 14, further comprising:

operating the second node (e.g., 256) to cause said retransmission of said page to be into a geographic area larger than an initial transmission area of said page (see col. 6, lines 28-40; Figs. 2, 5, 9), where the system retransmits the page according to the location area, paging area, and/or service area.

Regarding **claim 16**, Sanmugam discloses the method of claim 6, wherein said determined paging requirement, indicated in said paging request message, is a quality of service level (see col. 11, lines 47-55; col. 8, lines 24-25; col. 8, line 45 - col. 9, line 4; col. 10, lines 31-56; Figs. 3-6, 8A-B, 9); and

wherein said paging request message includes paging resource allocation information indicating a fraction of a paging resource to be allocated by said second node (e.g., 256) to pages having said quality of service level (see col. 8, lines 1-11,30-34; col. 7, lines 8-15; col. 10, lines 53-56; Figs. 9, 2-3), the method further comprising:

operating the second node (e.g., 256) to allocate said fraction of said paging resource to pages having a quality of service level indicated in said paging request message (see col. 8, lines 1-11,30-34; col. 7, lines 8-15; col. 10, lines 53-56; Figs. 9, 2-3).

Regarding **claim 17**, Sanmugam discloses the method of claim 6, further comprising: operating said second node (e.g., 256) to allocate a paging transmission resource for transmitting a page, as a function of said determined paging requirement, indicated in said paging request message (see col. 8, lines 1-11,30-34; col. 7, lines 8-15; col. 10, lines 53-56; Figs. 9, 1-3).

Regarding **claim 18**, Sanmugam discloses the method of claim 17, further comprising:

operating said second node (e.g., 256) to transmit a page using the allocated paging transmission resource (see col. 8, lines 1-11,30-34; col. 7, lines 8-15; col. 10, lines 53-56; col. 6, lines 52-65; Figs. 9, 1-3).

Regarding **claim 19**, Sanmugam discloses the method of claim 17, further comprising:

operating said second node (e.g., 254) to communicate a paging signal to a third node (e.g., 256), indicating allocation of a paging transmission resource for use in transmitting a page corresponding to said paging information (see col. 8, lines 1-11,30-34; col. 7, lines 8-15; col. 10, lines 53-56; col. 6, lines 52-65; Figs. 9, 1-3), where the paging of the mobile station can be transmitted between exchanges as well as expanded to include a larger area which encompasses transmitting a page between nodes such as multiple BS (256) and MSC (254) (see col. 6, lines 28-43).

Art Unit: 2617

Page 9

Regarding **claim 27**, Sanmugam discloses a communications system (see col. 4, line 56 - col. 5, line 45; Figs. 1, 9) comprising:

a base station (e.g., 256) including:

- i) means (e.g., 256) for receiving a data message (e.g., page requests) directed to an end node (e.g., mobile station M1) (see col. 5, lines 40-45; col. 4, line 66 col. 5, line 13; col. 13, lines 1-32; col. 7, lines 8-15; col. 8, line 1-9; col. 9, line 2; Figs. 9, 1, 8A-B), where the page request message includes an identification number bit (see col. 12, lines 33-36); and
- ii) means (e.g., 256) for determining a paging requirement using packet classification based on a header field included in said data message, said paging requirement being determined as a function of at least one of a quality of service indicator (e.g., class of service), a type indicator, a source indicator, and a destination indicator (see col. 5, lines 40-45; col. 4, line 66 col. 5, line 13; col. 13, lines 1-32; col. 7, lines 8-15; col. 8, line 1-9; col. 9, line 2; Figs. 9, 1, 8A-B), where page requests are based on paging information such as class of service, paging parameters, paging field, paging characteristics, and paging extent in which a header field would be inherent due to paging information of the paging requests as evidenced by the fact that one of ordinary skill in the art would clearly recognize.

Regarding **claim 28**, Sanmugam discloses the system of claim 27, wherein said base station (e.g., 256), further comprises:

means (e.g., 256) for allocating a paging transmission resource for transmitting a page as a function of a determined paging requirement (see col. 5, lines 40-45; col. 10, lines 53-56; col. 13, lines 1-32; col. 7, lines 8-15; col. 8, line 1-9; Figs. 9, 1, 8A-B).

Regarding **claim 29**, Sanmugam discloses the system of claim 28, wherein said base station further includes a radio transmitter (e.g., 254) for transmitting a page using the allocated paging transmission resource (see col. 5, lines 40-45; col. 13, lines 1-32; col. 7, lines 8-15; col. 8, line 1-9; col. 10, lines 53-56; Figs. 9, 1, 8A-B).

Regarding **claim 30**, Sanmugam discloses the system of claim 29, wherein said base station (e.g., 256) further includes:

means (e.g., 256) for generating a paging request message including information indicating said determined paging requirement (see col. 6, lines 52-65; col. 13, lines 1-32; Figs. 3, 9, 8A-B); and

means (e.g., 256) for transmitting said paging request message to another node (e.g., 256) (see col. 6, lines 52-65; col. 13, lines 1-32; Figs. 3, 9, 8A-B), where the paging of the mobile station can be transmitted between exchanges as well as expanded to include a larger area which encompasses transmitting a page between nodes such as multiple BS (256) and MSC (254) (see col. 6, lines 28-43,52-62).

Regarding **claim 31**, Sanmugam discloses the system of claim 30, wherein said paging request message includes at least a portion of said received data message and wherein said determined paging requirement, indicated in said paging request message, is that said portion be included in a page (see col. 11, lines 47-55; col. 8, lines 24-25; col. 8, line 45 - col. 9, line 4; col. 10, lines 31-56; Figs. 3-6, 8A-9).

Regarding **claim 32**, Sanmugam discloses the system of claim 30, wherein said determined paging requirement, indicated in said paging request message, is that a page be

acknowledged (e.g., page response) (see col. 13, lines 43-48; col. 9, line 2; col. 10, lines 8-11; col. 6, lines 28-34; col. 11, lines 10-30; Fig. 10A "ref. 310").

Regarding **claim 33**, Sanmugam discloses the system of claim 30, wherein said determined paging requirement, indicated in said paging request message, is a quality of service (e.g., class of service) requirement (see col. 11, lines 47-55; col. 8, lines 24-25; col. 8, line 45 - col. 9, line 4; col. 10, lines 31-56; col. 7, lines 8-15; Figs. 3-6, 8A-B).

Regarding **claim 34**, Sanmugam discloses the system of claim 30, further comprising: a second node (e.g., 256), said second node including:

- i) means (e.g., receiver) for receiving said paging request message (see col. 4, line 66 col. 5, line 13; col. 6, lines 52-65; col. 13, lines 1-32; Figs. 9, 1, 7-8B);
- ii) means (e.g., controller) for allocating at least one paging resource as a function of paging requirement information included in a received paging request message (see col. 4, line 66 col. 5, line 13; col. 10, lines 53-56; col. 13, lines 1-32; col. 6, lines 52-65; Figs. 9, 1, 7-8B); and
- iii) means (e.g., transmitter) for transmitting a page to a mobile node using the at least one allocated paging resource (see col. 4, line 66 col. 5, line 13; col. 13, lines 1-32; col. 6, lines 52-65; Figs. 9, 1, 7-8B).

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sanmugam (US 5,533,094) in view of Weber et al. (hereinafter Weber) (US 6,314,282 B1).

Regarding **claim 4**, Sanmugam discloses every limitation claimed as applied above in claim 1. Sanmugam does not specifically disclose having the feature wherein said step of transmitting a page includes incorporating, into said page, information indicating a state of device operation in which a device to which said page is directed is to operate after receiving said page. However, the examiner maintains that the feature wherein said step of transmitting a page includes incorporating, into said page, information indicating a state of device operation in which a device to which said page is directed is to operate after receiving said page was well known in the art, as taught by Weber.

In the same field of endeavor, Weber discloses the feature wherein said step of transmitting a page includes incorporating into page information indicating a state of device operation, in which a mobile terminal (7) which reads on the claimed "device" to which said page is directed, is to operate after receiving said page (see col. 5, lines 40-49,3-22; col. 6, lines 13-20; Figs. 3, 5).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Sanmugam and Weber to have the

Art Unit: 2617

feature wherein said step of transmitting a page includes incorporating, into said page, information indicating a state of device operation in which a device to which said page is directed is to operate after receiving said page, in order to provide mode change information that will automatically change the mode of a mobile terminal, as taught by Weber (see col. 2, lines 9-13, 65-67).

Page 13

Response to Arguments

7. Applicant's arguments filed 13 October 2006 have been fully considered but they are not persuasive.

The Examiner respectfully disagrees with applicant's arguments as the applied reference(s) provide more than adequate support and to further clarify (see the above claims).

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Willie J. Daniel, Jr. whose telephone number is (571) 272-7907. The examiner can normally be reached on 8:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha D. Banks-Harold can be reached on (571) 272-7905 or Lester Kincaid can be reached on (571) 272-7922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197

(toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/WJD,JR/

WJD,JR 07 December 2006